

SILVER LOADED CLAY AND INVESTIGATION OF THEIR ANTIMICROBIAL ACTIVITY

Violeta Elena Copcia¹, Ion Sandu¹, Nicolae Bilba², Simona Dunca³

¹ Arheoinvest Interdisciplinary Platform, Laboratory of the Scientific Investigation,
22 Carol I Corp G, 700506, Iasi, Romania

² Materials Chemistry Laboratory, Faculty of Chemistry, "Al. I. Cuza" University of Iasi,
Bvd. Carol I, no 11, 700506, Romania. E-mail: vioely2003@yahoo.com

³ Faculty of Biology, "Al. I. Cuza" University of Iasi, Bvd. Carol I, no 11, 700506, Romania

Abstract: To guarantee the microbiological quality of the water, which has been affected by the pollution of the bacterium, it is necessary to implement a tertiary drinking system in the resident houses. A possible complementary system is the utilization of clay for treatment of drinking water.

Keywords: *Escherichia Coli*, *Staphylococcus Aureus*, Clay, Silver, Silver Nanoparticles

1. Introduction

Clay can be used for dispersion of Ag⁺ and Ag⁰ nanoparticles activity having permanent removal of coliform bacteria normally found in natural water. Clinoptilolite resulting with antibacterial effect of Ag⁺ and Ag⁰ nanoparticles/clay was made from two bacteria: *Escherichia coli* ATCC 25922 and *Staphylococcus aureus* ATCC 25923.

In this study, local natural clays from Răzoare areas have been investigated. Samples were used in the raw form (polycationic form) as well as in the Na-exchanged form.

2. Experimental

The Na-forms of the natural clays from Răzoare were prepared by treating the clay polycationic forms with NaCl 1M in a solid/liquid ratio of 1:10, at room temperature, under magnetic stirring for 12 hours, followed by centrifugation, water washing and air drying at 80°C for 5 hours.

The samples of clay in homoionic form of Na⁺ (R1-Na⁺) were suspended in 0.1M AgNO₃ solution at room temperature for 24 h in the dark (threefold with fresh solution), adjusting the solution to pH 5.0, with intermittent shaking to obtain the silver – loaded clay named R1-Ag⁺. The resulting solids were separated by filtration, washed with deionized water several times and dried overnight at room temperature. If the pH of exchange is greater than 7.5-8, the samples become dark because Ag⁺ in the zeolite turned to Ag⁰. Samples results were analyzed by FTIR and SEM. (Fig. 1).

After preparing inoculum and culture media, clay species were put in contact with the surface agarizat environment. After 24 hours of incubation was followed by inhibition of bacterial growth phenomenon by the appearance of lysis zones around clinoptilolite with Ag⁺ and Ag⁰ nanoparticles clay (Fig. 2 and 3).

3. Results and discussion

We incorporate Ag⁺ in a clay carrier. The ion exchange of Ag⁺ with other positive ions (often sodium) from the moisture in the environment, will give a release of silver "on demand". The structural location of Na⁺ cations, the channel dimensions and the hydrated ionic radii of Na⁺ (3.58 Å) are involved in the easily exchange with hydrated Ag⁺ ion (3.43 Å) [1-4] The Na⁺ cations are preferable for Ag⁺ instead of Ca²⁺, K⁺ and Mg²⁺ found in the natural clay.

FTIR spectra of the samples and silver exchanged, R1-Na⁺ and R1-Ag⁺, were investigated between 600 and 4000 region (fig.1). The vibration band assignments of the samples are summarized in table 1.

The SEM micrographs in fig.1 confirmed the phase purity of the crystal morphology. Also, the SEM micrographs showed that the particles were closely similar in size and appearance, which suggests that the loading of silver ions into framework seems to have little or no effect on the size of the zeolite.

After 24 hours of incubation was followed by inhibition of bacterial growth phenomenon by the appearance of lysis zones around particles of Ag⁺ clinoptilolite.(Fig. 2 and 3)




Fig. 1. FTIR spectrum of sample R1, R1-Ag and R1-Ag and SEM micrographs of R1-Na⁺ (a) R1-Ag⁺ (b)

Table 1
Assignments of vibration bands of the initial and Ag⁺/Ag⁰ exchanged forms of the clay samples [4-7]

Vibration modes	Frequency (1/cm)		
	R1	RR1-Ag ⁺	R1-Ag ⁰
External double ring	719.15	698.55	706.43
External asymmetric stretch	792.94	795.91	802.53
External symmetric stretch	996.95	1008.91	995.46
Internal asymmetric stretch	1297.25	1248.10	1299.49
OH bending	1633.27	1627.94	1632.05
H-bonded OH stretching	3432.81	3432.17	3423.64
Isolated OH stretching	3616.77	3618.70	3611.49



Fig.2. Antibacterial test results using *Escherichia coli* ATCC 25922 P₁-P_b treated with AgNO₃, P₂-P_a treated with AgNO₃,



Fig.3. Antibacterial test results using *Staphylococcus aureus* ATCC 25923 (P₁-P_b treated with AgNO₃, P₂-P_a treated with AgNO₃),

4. Conclusions

Ag⁺-clay was tested for their antimicrobial activity against *E. coli* and *S. aureus*. The bactericidal activity depended on the permeability and penetration rate against the bacteria cell wall.

Results showed that the silver highly dispersed on clay structure exhibited a good inhibition effect on the growth of *Escherichia coli* ATCC 25922 and *Staphylococcus aureus* ATCC 25923. The inhibitory effects of silver were dependent on amount of Ag⁺-clay and Ag⁰-clay added.

The R1-Ag⁰ sample is more prolific than R1-Ag⁺ sample. Thus R1-Ag⁰ sample is a good candidate with potential antibacterial applications.

Acknowledgments

The authors are grateful the financial support of POSDRU/89/1.5/S/63663 Projects

References:

- [1]. Inoue Y.; Hoshino M.; Takahashi H.; Noguchi T.; Murata T.; Kanzaki Y.; Hamashima H.; Sasatsu M., J. Inorg. Biochem 2002, 92, 37-42.
- [2]. Song H.Y, Ko K.K, Oh I.H, Lee B.T, European Cells and Materials 2006, 11, 58.
- [3]. Copcia V.E.; Luchian C.E.; Dunca S.; Bilba N.; Hristodor C.M. Journal of Materials Science 2011, 46, 7121-7128.
- [4]. Rivera-Garza M. ; Olguin M.T. ;M Garcia-Sosa I. ; Alcantara D. ; Rodriguez-Fuentes G. Micropor. Mesopor. Mater. 2000, 39, 431-444.
- [5]. Woods R.M.; Gunter M.E. Am Mineral 2001, 86, 424-430.
- [6]. Wilson M.J. Clay Mineralogy: Spectroscopic and Chemical Determinative Methods. (Chapman& Hall, New York) 1994, 52-55
- [7]. Tanaka H.; Yamasaki N.; Muratani M.; Hino R. Material Research Bulletin 2003, 38, 713-722.